

Feedback report of GP Practice Seasonal Flu Immunisation Self-audit

Practice	
Practice code	
Date of Audit / Completed by	
Feedback report completed by/ date	

KEY RESULTS

Each group is displayed alongside its percentage uptake. **Target uptake: 75%**



The results below and opposite highlight where your practice is 10% below NHS GGC average

Elderly (≥65)

% Uptake
n=

Healthy Pregnant Women

% Uptake
n =

Carers

% Uptake
n =

All at Risk (<65)

% Uptake
n=

Children under 5

% Uptake
n=

Diabetes

% Uptake
n=

Obesity

% Uptake
n=

Chronic Renal Disease

% Uptake
n=

Asplenia

% Uptake
n=

Chronic Neurological Disease

% Uptake

Chronic Liver Disease

% Uptake
n=

Pregnant & In a Risk Category

% Uptake
n=

Chronic Heart Disease

% Uptake
n=

Immunosuppression

% Uptake
n=

Chronic Respiratory Disease

% Uptake
n=

To improve the flu immunisation uptake please share this report with patients and other healthcare professionals



SUMMARY

DELETE AS APPROPRIATE

Many / Some areas of exemplary / good practice including having a flu champion, /including practice staff in the flu immunisation programme planning meeting, / allocating additional resource to ensure sufficient to successfully deliver campaign, / inviting eligible patients, / using multiple methods, /sending reminders to eligible patients, / using multiple methods, / collaborating with community midwives, / collaborating with community pharmacies, / opportunistically offering immunisation during routine appointments, / publicly displaying literature promoting flu immunisations, / running searches to identify newly eligible patients, / reviewing vaccines remaining in fridge. Your practice achieved poor uptake rate for carers, / pregnant women/ with /and without risk factors, and /those under 65 years in a clinical risk group, in particular
 Asplenia/ dysfunction of the spleen /and immunosuppression
 Chronic respiratory, /heart, / renal, /liver, / neurological disease, /Diabetes / and obesity
 In addition uptake for the > 65 age group was below the national target.

RECOMMENDATIONS

Please consider the following when planning future seasonal flu immunisation campaigns.

Collaboration	<ul style="list-style-type: none"> • Include support staff and other healthcare professionals in your practice seasonal flu immunisation planning meeting. • A campaign planning meeting including support staff and other healthcare professionals is highly recommended. • Collaborate with others e.g. pharmacists, community midwives, carers’ associations and patient support groups to encourage patients to attend. • Learn from other general practices in local area with higher uptake. • Involve all practice staff and stakeholders in campaign planning. • Continue your campaign after you think all targets have been achieved.
Operational	<ul style="list-style-type: none"> • Appoint a lead member of staff to be responsible for running the vaccination programme and identifying patients, i.e. a flu champion. • Use multiple methods to invite and remind eligible patients to attend for vaccination e.g. mobile, text, email etc. • Conduct search for eligible patients before August. • Add a Message to the right hand side of the prescription reminding patients when the flu vaccination programme starts. • Review opportunities for out of hours’ access to flu clinics. • Review opportunities for mass immunisation clinics. • Encourage more of own staff to accept immunisation. Having staff with pro-immunisation attitude may encourage patient response to acceptance. • Send reminders to all eligible patients using more than one communication method. • Prominently display literature to promote the flu vaccination campaign.
Organisational	<ul style="list-style-type: none"> • Provide additional resources (staff time/funding) to ensure sufficient to successfully deliver campaign. • Develop a mechanism to read code patients recommended for flu immunisation by secondary care. • Develop a mechanism to identify those patients who become newly eligible after planning or the start of the campaign. • Develop a mechanism to conduct searches to identify and remind eligible patients to attend for immunisation. • Develop an action plan to address areas of low uptake.
Post Vaccination	<ul style="list-style-type: none"> • Share report, including with practice staff and community partners, highlighting what

Campaign

worked well and areas for potential improvement, developing an action plan to help guide improvements. feedback from patients may also be helpful.

- Review your practices uptake figures from the previous flu campaign.