



Employ the **SEED** approach. Missing medications can cause significant patient harm!

CRITICAL MEDICATIONS *(this list is not exhaustive)*

- **No dose** should be missed
- A '**stat**' dose must be prescribed and administered as soon as supply becomes available

Antimicrobial agents	Antibiotics Antifungals Antivirals including antiretroviral agents for HIV treatment
Anticoagulants <i>(Unless planned)</i>	Low molecular weight heparins (LMWHs) Apixaban/Rivaroxaban/Dabigatran IV Heparin infusion Warfarin
Parkinson's medications	Madopar® (Co-beneldopa)/Sinemet® (Co-careldopa) Rotigotine patch Stalevo® (Co-careldopa plus entacapone) Pramipexole Ropinirole
Antiepileptics	Epilim® (Sodium valproate – also available generically) Phenytoin Keppra® (Levetiracetam) Lamotrigine Tegretol® (Carbamazepine)
Insulin	Novorapid®/Actrapid®/Humalog®/Apidra® Humulin M3® Humalog Mix 25®/Novomix 30® Lantus®/Levemir® Insulatard®/Humulin I®
Immuno-suppressants	Prograf®/Advagraf® (Tacrolimus) Mycophenolate mofetil (MMF)/Myfortic® (Mycophenolic acid) Neoral® (Cyclosporin) Azathioprine
Analgesia	Regular opioids (Morphine MR, Oxycodone MR, Fentanyl patch etc)
Substance misuse maintenance treatments	Metadone Suboxone® (Buprenorphine plus naloxone) Subutex®(Buprenorphine) Dihydrocodeine MR (Usually DHC Continus®)